


OURTECHNOLOGIES

1/2m(v2)






kinetic

When the opening movement is performed with the Kinetic racquet, the Kinetic Mass microspheres contained in the capsules inserted inside the frame are charged with kinetic energy. When the ball hits the strings, it becomes compressed and the strings bend.

The speed of the ball is nullified. The strings and the ball are now charged to the maximum. The flexibility of the frame and the forward swing of the shot determine the acceleration of the ball, which can be calculated by using the following formula:

KINETIC ENERGY = 1/2M(V2)



The sum of the hitting speed, the energy released by the strings and the decompression of the ball determine the output speed of the ball. In the Kinetic racquet, the energy released by the Kinetic Mass contained in the capsules is also added to that output speed.

This increase in added mass increases the usable area of the stringbed, facilitating the success of a good shot.





POWER ZONE
WITH A COMMON RACKET

POWER ZONE
WITH KINETIC SYSTEM

ACTIVE DAMPING SYSTEM


Do you know what your arm feels after you have hit the ball? The "return" of the vibrations.

The Kinetic System completely eliminates all these sensations. Once the ball leaves the racquet strings, the Kinetic mass microspheres move, using all the energy left in the frame. You will notice a pleasant feeling of comfort while playing and a drastic reduction in fatigue and in stress in your arm, with an increase in the precision and power of your game. Immediately after the ball leaves the racquet strings, flexibility is activated.


EFFICIENCY AREA

The Kinetic System increases the percentage of well-played shots, freeing you from the worry of having to hit the ball with the centre of the racquet only. When the Kinetic capsules release their energy to the frame, the entire stringbed becomes stable and your shot will be more precise and powerful even if you do not hit the ball in the centre.

The transfer of Kinetic Mass energy determines the efficiency area. The Kinetic system makes the entire stringbed of the racquet homogeneous, making off-centre hits effective too, because it cancels the twisting of the frame and optimises the direction of the ball. By hitting the ball in the centre of the sweet spot, the power is truly extraordinary.



EFFICIENCY AREA WITH A COMMON RACKET




EFFICIENCY AREA
WITH KINETIC


OUR TECHNOLOGIES DEMICVED

Aionic

Prokennex puts turbo-power into the Kinetic System with the use of Jetron: Ionic Technology is born. The Kinetic mass contained within the capsules in static conditions (stationary racket) have an equal number of positive and negative charges that produce a stable electrical environment. When the racquet is moved, the Kinetic mass and the capsule walls are charged with electrostatic energy. These charges exert great forces (like powerful magnets) on the Kinetic mass, which repel each other, attract each other or cling to the capsule walls. This situation reduces the potential of the Kinetic System.



ProKennex's JonicTM technology has found a solution for eliminating electrostatic charges. Through lonic technology, a process that uses static eliminators (called ionizers), electrostatic charges are neutralised. These anti-shock ionizers are induced to produce a large quantity of negative and positive ions. The surfaces charged with electrostatic energy attract the appropriate number of positive or negative ions from the ionizers to themselves, in order to thus become electrically stable. Result: Complete possibility of movement of the Kinetic mass inside the capsules with an increase of over 56% of the efficiency of the kinetic system.





QUAD FOCUS

The latest development of the Kinetic System, the Quadfocus system, rethinks the application of Newtonian physics, by studying new Kinetic Energy Chambers and moving them to the Four Corners of the frame. This moves the cameras away from the most stable area of the frame to the most vulnerable, focusing the energy more effectively. Because the Kinetic technology is based on a system that works with precise timing (like the pistons in an engine), the Quadfocus design makes it possible to position the Kinetic Energy Chambers in the most effective position. The speed of the frame head is much higher and this creates a virtual square in the oval of the racquet, generating a greater sweet spot than a conventional single-mass racquet. The most evident advantage is felt when hitting the ball off-centre, especially in the 10 o'clock and 2 o'clock positions.

The new Q-PLUS series with 25% more kinetic energy.



KINETIC DAMPING CHAMBER

Kinetic Damping Chamber by ProKennex uses "Mass Displacement" to reduce the residual vibration resulting from the energy of the shock caused when the ball hits the racquet. This anti-vibration system significantly reduces hand and forearm fatigue and quickly stabilizes the frame in its original state. The system consists of a cylinder, perfectly modelled on the body of the frame, filled with inelastic microspheres and integrated into each grip. When the oscillations of the frame reach the chamber, the balls disperse the vibrations through movement and friction.

The technical name for this process is Non-Obstructive Damping Technique, or NOPD. While the Kinetic System increases the performance of the frame, through the "energy transfer" more efficient in tennis, the harmful vibrations that escape the Kinetic System itself are swallowed later by the Kinetic Damping Chamber before reaching the hand. Kinetic technology is an energy management system designed to increase stroke performance and, at the same time, protect the arm from harmful forces leading to injury. The technical name for this process is Non-Obstructive Damping Technique, or NOPD. While the Kinetic System increases the performance of the frame, through the most efficient "energy transfer" in tennis, the harmful vibrations that escape the same Kinetic System are swallowed up later on by the Kinetic Damping Chamber before reaching the hand. Kinetic technology is an energy management system designed to increase hitting performance and, at the same time, protect the arm from harmful forces that lead to injury.




Prokennex creates the new mixture of ProKennex Spiral Tech Carbon materials, the evolution of Graphite. It is a unique blend of Spiral Tech graphite layers and High ModulGra te Normaleus graphite that is applied to get the best performance from the frame

The Spiral Tech graphite guarantees exceptional absorption qualities to maximize the playability of the frame, while the High Modulus Graphite STC graphite provides the necessary solidity and power. Traditional graphite has space between the layers. In Spiral Tech Carbon, the different graphite modules adhere completely, combining with Nano Epoxy, which guarantee absolute power, playability and control.



Spiral Tech Carbon



Conventional Graphite


























TENNIS COLLECTION _ ACADEMY

PREMIUM COMPETITION BALL PK-XL PRESSURELESS BALL 4 TUBE ACE 21 STRINGBED STRINGBED FRAME PROFILE FRAME LENGTH COACH TRAINING BALL STAGE 1 TRAINING BALL ACE 25 ACE 23 ACE 26 STRINGBED STRINGBED FRAME PRAME MEGHT WHICH FRAME FRAME FRAME PROFILE FRAME PROFILE FRAME PROFILE STRINGBER BALANCE FRAMELENCTH WEIGHT BALL BAG TRAINING STAGE 2 TRAINING BALL STAGE 3 TRAINING BALL



PROKENNEX_SEASON 21



STRINGBED	73 IN2
FRAME LENGTH	26,85 IN
FRAME PROFILE	19 - 21 - 14 MM
WEIGHT	115 G ± 5
BALANCE	350 MM
STRING DIAGRAM	16V10



STRINGBED	73 in ²
FRAME LENGTH	26,85 in
FRAME PROFILE	19 - 21 - 14 mm
WEIGHT	125 g ± 5
BALANCE	350 mm
STRING DIAGRAM	16x19



DESTINY COUNTER BALANCE

STRINGBED	73 IN2
FRAME LENGTH	26,85 IN
FRAME PROFILE	19 - 21 - 14 MM
WEIGHT	120 G ± 5
BALANCE	340 MM
STRING DIAGRAM	16X19



STRINGBED	76 in ²	
FRAME LENGTH	27 in	
FRAME PROFILE	19.3 mm	
WEIGHT	205 g ±	
BALANCE	325 mm ±	
STRING DIAGRAM	14x19	



MOMENTUM SPEED

STRINGBED	75 IN2
FRAME LENGTH	26,85 IN
FRAME PROFILE	19 - 21 - 22 MM
WEIGHT	115 G ± 5
BALANCE	345 MM
STRING DIAGRAM	14X18



STRIKE

STRINGBED	78 in ²
FRAME LENGTH	27 in
FRAME PROFILE	18.7 mm
WEIGHT	205 g ±
BALANCE	320 mm ±
STRING DIAGRA	M 14x20



MOMENTUM COUNTER BALANCE

STRINGBED	75 IN2	
FRAME LENGTH	26,85 IN	
FRAME PROFILE	19 - 21 - 22 MM	
WEIGHT	125 G ± 5	1 -
BALANCE	335 MM	
STRING DIAGRAM	14X18	



MOMENTUM kinetic

STRINGBED	75 in²
FRAME LENGTH	26,85 in
FRAME PROFILE	19 - 21 - 22 mm
WEIGHT	130 g ± 5
BALANCE	345 mm
STRING DIAGRAM	14x18

PROXENNEX_SEASON 24





TRIPLE SHEATH TOUR

Three compartments, one of which is thermal. Upper pocket, Side pocket and zipped pocket for carrying shoes. Ergonomic shoulder straps. The shoulder straps can be positioned on either the back or the front of the bag, allowing you to carry the bag based on your needs.

Capacity: 12 racquets | Sizes: 79 x 32.5 x 36 cm



PROKENNE

Two compartments, one of which is thermal.

Side pocket and two zipped pockets for carrying shoes. Ergonomic shoulder straps. The shoulder straps can be positioned on either the back or the front of the bag, allowing you to carry the bag according to your needs. The logo and reflective lettering are designed for the safety of those who like to travel on two wheels.

Capacity: 6 racquets | Sizes: 79 x 32.5 x 24 cm



BACKPACK TOUR

Upright-shaped backpack, offering ample space. The logo and reflective lettering are designed for the safety of those who like to travel on two wheels.

Sizes: 36 x 44 x 26 cm

PROKENNEX_SEASON 21

MONOFILAMENT. STRINGS



IQ HEXA

Latest generation monofilament string. The thin dimension guarantees Set: 12 m unprecedented drive and the new composition of the polymer guarantees less loss of tension. The unique monofilament design guarantees greater grip on the ball for more intense rotations.

Hank: 200 m Ø: 1,18 - 1,23 -1.28 mm Colors:

- blue (1,23 1,28)
- red (1,18)





EXPERT TX

String constructed with a central core made of high strength nylon 66 monofilament, wrapped in a multifilament sheath with different densities and intertwined with each other. It is a mixture of control, sensitivity and power. The heat treatment of this string reduces the movement of vertical rows during play.

Hank: 200 m Set: 12 m Ø: 1,25 mm

- Colors: milky white
- amber
- pink (only set)

IMPACT PLUS

Latest generation multifilament. Impact Plus is characterized by the assembly of multifilaments of different Ø: 1,25 - 1,30 mm synthetic materials that guarantee maximum power, sensitivity and control in the absence of vibrations. It maintains the tension.

Set: 12 m Color:

• natural

ACCESSORIES



COMFORT

Colors:

Ultimate cushion and comfort



SUPER WRAP OVERGRIP

Colors:

Ultra thin overgrip. Elasticated micro-fiber formula. Perfect cushioning and comfort.



FRICTION EXTRA

Colors:

Superior absorbency. Unique hi strength, hi tack sealing tape. Nullifies vibration.



TACK PLUS

Colors:

Super tacky non-slip surface. High water absorbency. Soft and comfortable.



VIBRATION DAMPENER

Colors:

Vibration dampening and shock absorbing for reducing risk of tennis elbow and arm or shoulder discomfort.



PK CAP

Colors:



SQUASH ACCESSORIES



PK SYNTOUCH SQUASH STRING

1.20 Coil - 100m



PK RESPONSE SQUASH STRING

1.15 Coil - 100m



SYNFLEX SQUASH STRING

1.2 Coil - 100m



PK INFINITY EYEGUARD



